

Recommended brackets for Hikvision analog camera						
Product form	Model	Relevant brackets and housings				
Box camera 10	DS-2CC11X2P(N)-A/ DS-2CC11X3P(N)-A(-C) DS-2CC11X5P(N)-A(-C) DS-2CC11X7P(N)-A(-C) DS-2CC11X8P(N)-A(-C) DS-2CC11A2P(N) DS-2CC11X1P(N) DS-2CC11X1P(N)-A	Indoor		Outdoor housing	Indoor housing	
						
		DS-1203ZJ 302700110 Pendant Mount	DS-1292ZJ 302700585 Wall mount	DS-1332HZ 302700772 Indoor housing	DS-1330HZ 302700846 Indoor housing	DS-1331HZ Series Outdoor housing
		Hik white Aluminum alloy 70.4×84×200mm 220g	Hik white Aluminum alloy 70×97.1×217.9mm 201g	Hik white Aluminum alloy 288×149×100mm 800g	Hik white Complex fiber 290×142×92mm 640g	Hik white Aluminum alloy
Note						

Box camera 18	DS-2CC12D9T-A	Indoor		Outdoor housing	Indoor housing	
						
		DS-1203ZJ 302700110 Pendant Mount	DS-1292ZJ 302700585 Wall mount	DS-1332HZ 302700772 Indoor housing	DS-1330HZ 302700846 Indoor housing	DS-1331HZ Series Outdoor housing
		Hik white Aluminum alloy 70.4×84×200mm 220g	Hik white Aluminum alloy 70×97.1×217.9mm 201g	Hik white Aluminum alloy 288×149×100mm 800g	Hik white Complex fiber 290×142×92mm 640g	Hik white Aluminum alloy
Note						

Bullet camera 5	DS-2CC1X2P(N)-IRA DS-2CC11X2P(N)-IRA DS-2CZ2152P-IRA	Outdoor			
					
		DS-1293ZJ 302700586 Wall mount	DS-1214ZJ 302700021 Horizontal pole mount	DS-1275ZJ 302700378 Vertical pole mount	DS-1269ZJ 302700598 Pendant Mount
		Hik white Aluminum alloy 88×116.6×297.3mm 473g	Hik white Steel(mounting board) & Stainless Steel(clamp) 117×226×194mm Diameter of clamp: Φ67-127mm 1895g	Hik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm Diameter of clamp: Φ67-127mm 1205g	Hik white Aluminum alloy 493×246×88mm 480g
Note		Match up with DS-1293ZJ			

Bullet camera 8	DS-2CC11xP(N)-VFIR series	Indoor/Outdoor	
			
		DS-1275ZJ 302700378 Vertical pole mount Hik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm Diameter of clamp: Φ67-127mm 1205g	DS-1276ZJ 302700379 Corner mount Hik white Steel 126×105×250mm 2280g
			

Bullet camera 11C 	DS-2CE15A2P(N)-VFI3 DS-2CE16C5T-(A)VFI3	Indoor/Outdoor			
					
		DS-1275ZJ 302700378 Vertical pole mount Hik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm Diameter of clamp: Φ67- 127mm 1205g	DS-1280ZJ-S 302700579 Junction box Hik white Aluminum alloy Φ137 x 53.4x 164.8mm 527g	DS-1260ZJ 302700239 Junction box Hik white Aluminum alloy Φ88.5 mm	DS-1276ZJ 302700379 Corner mount Hik white Steel 126×105×250mm 2280g

Note:

Easy installation

More economic

	DS-2CE15A2P-IR DS-2CE15A2P-IRP DS-2CE16D5T-IR DS-2CE16D1T-IR(P) DS-2CE16C0T-IR(P) DS-2CE16C2T-IR(P)	Indoor/Outdoor			
					
		DS-1280ZJ-XS 302700955 Junction box Hik white Aluminum Alloy Φ100 x 43.2 x 129mm 320g			

Bullet camera 15 	DS-2CE16A2P-IT3 DS-2CE16C2P-IT3 DS-2CE16D5T-IT1/IT3 DS-2CE16C2T-IT1/IT3	Indoor/Outdoor			
					
		DS-1280ZJ-XS 302700955 Junction box Hik white Aluminum Alloy Φ100 x 43.2 x 129mm 320g			

Bullet camera 16 	DS-2CC12A2P-IT5 DS-2CE16C2T-IT5 DS-16CE2D5T-IT5 DS-16CE2C5T-IT5 DS-2CE16C5T-IT1/IT3	Indoor/Outdoor			
					
		DS-1275ZJ 302700378 Vertical pole mount Hik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm Diameter of clamp: Φ67- 127mm 1205g	DS-1260ZJ 302700239 Junction box Hik white Aluminum alloy Φ88.5 mm	DS-1280ZJ-S 302700579 Junction box Hik white Aluminum alloy Φ137 x 53.4x 164.8mm 527g	DS-1276ZJ 302700379 Corner mount Hik white Steel 126×105×250mm 2280g

Note:

More economic

Easy installation

Bullet camera 20 	DS-2CC12A7-(A)VRIT3 DS-2CE16D5T-(A)VRIT3	Indoor/Outdoor			
		 DS-1275ZJ 302700378 Vertical pole mount Hik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm Diameter of clamp: Φ67- 127mm 1205g	 DS-1280ZJ-S 302700579 Junction box Hik white Aluminum alloy Φ137 x 53.4x 164.8mm 527g	 DS-1260ZJ 302700239 Junction box Hik white Aluminum alloy Φ88.5 mm	 DS-1276ZJ 302700379 Corner mount Hik white Steel 126×105×250mm 2280g

Note:

Easy installation

More economic

Bullet 21 	DS-2CE16C8T-IW3Z	Indoor/Outdoor						
		 DS-1293ZJ 302700586 Wall mount Hik white Aluminum alloy 88×116.6×297.3mm 473g	 DS-1275ZJ 302700378 Vertical pole mount Hik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm Diameter of clamp: Φ67-127mm 1205g Match up with wall mount DS-1293ZJ	 DS-1260ZJ 302700598 Pendant Mount Hik white Aluminum alloy 493x246x88mm 480g	 DS-1233ZJ 302701114 Column Mount Hik white Steel Φ160 x 1093mm 6200g	 DS-1232ZJ 302701067 Cardan Joint Hik white Steel 126x103.5x83mm 790	 DS-1232ZJ-T 302700957 Cardan Joint Hik white Steel 96x95x92.5mm	 DS-1276ZJ 302700379 Corner mount Hik white Steel 126×105×250mm 2280g Match up with wall mount DS-1293ZJ

Bullet camera 22 Bullet camera 23 	DS-2CE16C0T-IT1/IT3/IT5 DS-2CE16D1T-IT1/IT3/IT5	Indoor/Outdoor	
		 DS-1280ZJ-XS 302700955 Junction box Hik white Aluminum Alloy Φ100 x 43.2 x 129mm 320g	

Bullet camera 24 	DS-2CE16D5T-AIRAZH	Indoor/Outdoor			
		 DS-1275ZJ 302700378 Vertical pole mount Hik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm Diameter of clamp: Φ67- 127mm 1205g	 DS-1280ZJ-S 302700579 Junction box Hik white Aluminum alloy Φ137 x 53.4x 164.8mm 527g	 DS-1260ZJ 302700239 Junction box Hik white Aluminum alloy Φ88.5 mm	 DS-1276ZJ 302700379 Corner mount Hik white Steel 126×105×250mm 2280g

Bullet camera 25 	DS-2CE16D1T-(A)VRIR3 DS-2CE16C2T-VRIR3 DS-2CE16D1T-(A)JR3Z DS-2CE16D5T-AIR3ZH	Indoor/Outdoor		
		 DS-1275ZJ 302700378 Vertical pole mount Hik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm Diameter of clamp: Φ67- 127mm 1205g	 DS-1280ZJ-S 302700579 Junction box Hik white Aluminum alloy Φ137 x 53.4x 164.8mm 527g	 DS-1276ZJ 302700379 Corner mount Hik white Steel 126×105×250mm 2280g

DS-2CC51xxP(N)-VP series DS-2CC51xxP(N)-VPIR series DS-2CC51xxP(N)-VPIRH series DS-2CE56DST-(A)VPIR3 DS-2CE56CST-(A)VPIR3 DS-2CE56D1T-(A)VPIR3 DS-2CE56D1T-(A)VPIR3Z DS-2CE56DST-AVPIR3Z(H)		Indoor/Outdoor								
										
Dome camera 11		DS-1271ZJ-140 302700323 Pendant Mount	DS-1273ZJ-140 302700333 Wall mount	DS-1273ZJ-140B 302700330 Wall mount	DS-1241ZJ 302700113 In-ceiling mount	DS-1240ZJ 302700040 Inclined ceiling mount	DS-1275ZJ 302700378 Vertical pole mount	DS-1276ZJ 302700379 Corner mount	DS-1253ZJ-L 302700845 Rain shade	DS-1250ZJ 302700138 Rain shade
		Hik white Aluminum alloy Φ150×565mm 1900g	Hik white Aluminum alloy 140×183.5×232mm 703g	Hik white Aluminum alloy with junction box 140×243×292mm 1488g	Hik white Aluminum alloy Φ200×26.8mm 300g	Hik white Aluminum alloy Φ145×63mm 440g	Hik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm Diameter of clamp: Φ67-127mm 1205g Match up with wall mount(DS-1273ZJ-140)	Hik white Steel 126X105X250mm 2280g Match up with wall mount(DS-1273ZJ-140)	Hik white Composite Fibre Φ225.1×98mm 198g Match up with wall mount(DS-1273ZJ-140)	Hik white Composite Fibre 264.7×151×189.6 mm 199g

Dome camera 16	DS-2CC51AxxP(N)-VF series DS-2CE55F5P(N)-(A)VFIR DS-2CE56DST-(A)VFIR DS-2CE56CST-(A)VFIR DS-2CE56D1T-VFIR DS-2CE56DST-AIRZ DS-2CE56D1T-(A)IRZ	Indoor							
									
		DS-1271ZJ-130 302700322 Pendant Mount	DS-1273ZJ-130 302700326 Wall mount	DS-1273ZJ-130B 302700327 Wall mount	DS-1249ZJ 302700103 In-ceiling mount	DS-1275ZJ 302700378 Vertical pole mount	DS-1276ZJ 302700379 Corner mount	DS-1253ZJ-L 302700845 Rain shade	DS-1250ZJ 302700138 Rain shade
		Hik white Aluminum alloy Φ150×565mm 1900g	Hik white Aluminum alloy 132×183.5×228.5mm 690g	Hik white Aluminum alloy with junction box 132×243×288.5mm 1475g	Hik white ABS plastic Φ169.4×14.6mm 60g	Hik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm Diameter of clamp: Φ67-127mm 1205g Match up with wall mount(DS-1273ZJ-130)	Hik white Steel 126X105X250mm 2280g Match up with wall mount(DS-1273ZJ-130)	Hik white Composite Fibre Φ225.1×98mm 198g Match up with wall mount(DS-1273ZJ-130)	Hik white Composite Fibre 264.7×152×189.6 mm 199g

Dome camera 18	DS-2CC51D3S-VPiR DS-2CC52C1S-VPiR DS-2CC52D5S-VPiR DS-2CE56COT-VPiR DS-2CE56D1T-VPiR	Indoor									
											
		DS-1259ZJ 302700248 Inclined ceiling mount	DS-1271ZJ-110 302700313 Pendant mount	DS-1272ZJ-110 302700315 Wall mount	DS-1272ZJ-110B 302700328 Wall mount	DS-1275ZJ 302700378 Vertical pole mount	DS-1276ZJ 302700379 Corner mount	DS-1280ZJ-DM18 302700356 Junction box	DS-1258ZJ 302700250 Wall mount	DS-1253ZJ-M 302700844 Rain shade	DS-1250ZJ 302700138 Rain shade
		Hik white ABS Plastic Φ111×39.2mm 200g	Hik white Aluminum alloy Φ150×560mm 1900g	Hik white Aluminum alloy 120×122×169mm 420g	Hik white Aluminum alloy with junction box 123×180×227.8mm 1205g	Hik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm Diameter of clamp: Φ67-127mm 1205g Match up with wall mount(DS-1272ZJ-110)	Hik white Steel 126X105X250mm 2280g Match up with wall mount(DS-1272ZJ-110)	Hik white Aluminum alloy Φ115.4×43.8mm 450g	Hik white ABS plastic 120×111×161.5mm 200g	Hik white Composite Fibre Φ191.1×76mm 133g Match up with wall mount(DS-1272ZJ-110)	Hik white Composite Fibre 264.7×152×189.6 mm 199g

		Indoor/Outdoor						
Dome camera 19	DS-2CS58A1P(N)-IRS DS-2CS54A1P(N)-IRS							
		DS-1272ZJ-120 302700325 Wall mount	DS-1272ZJ-120B 302700334 Wall mount	DS-1271ZJ-120 302700321 Pendant mount	DS-1275ZJ 302700378 Vertical pole mount	DS-1276ZJ 302700379 Corner mount	DS-1282ZJ-DM (mini) 302700377 Gang box	DS-1280ZJ-DM22 302700798 Junction box
		Hik white Aluminum alloy 120×122×173.5mm 430g	Hik white Aluminum alloy with junction box 123×180×223mm 1225g	Hik white Aluminum alloy Φ150×572mm 1900g	Hik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm Diameter of clamp: Φ67- 127mm 1205g Match up with wall mount(DS-1272ZJ-120)	Hik white Steel 126X105X250mm 2280g Match up with wall mount(DS-1272ZJ-120)	Hik white Plastic Φ120 mm	Hik white Aluminum alloy 164.8×137×53.4mm 520g

		Indoor/Outdoor									
Dome camera 20	DS-2CC52xP(N)-VP series DS-2CC52xP(N)-AVPIR2 series										
		DS-1271ZJ-135 302700314 Pendant Mount	DS-1273ZJ-135 302700331 Wall mount	DS-1273ZJ-135B 302700329 Wall mount	DS-1275ZJ 302700378 Vertical pole mount	DS-1276ZJ 302700379 Corner mount	DS-1227ZJ 302700028 In-ceiling mount	DS-1280ZJ-DM20 302700304 Junction box	DS-1281ZJ-DM23 302700380 Inclined ceiling mount	DS-1253ZJ-L 302700845 Rain shade	DS-1250ZJ 302700138 Rain shade
		Hik white Aluminum alloy Φ150×565mm 1900g	Hik white Aluminum alloy 136×183.5×230mm 704g	Hik white Aluminum alloy with junction box 136×243×290mm 1490g	Hik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm Diameter of clamp: Φ67- 127mm 1205g Match up with wall mount(DS-1273ZJ-135)	Hik white Steel 126X105X250mm 2280g Match up with wall mount(DS-1273ZJ-135)	Hik white Aluminum alloy & ABS Plastic Φ210×90mm 540g	Hik white Aluminum alloy Φ137.5×65.2 mm 310g	Hik white Aluminum alloy Φ136×48mm 245g	Hik white Composite Fibre Φ225.1×98mm 198g Match up with wall mount(DS-1273ZJ-135)	Hik white Composite Fibre 264.7×152×189.6 mm 199g

		Indoor/Outdoor
Dome camera 28	DS-2CC52C7T-VP1R	
		DS-1274ZJ-DM28 302700865 Corner mount Hik white Aluminum alloy 233×201×96mm

		Indoor/Outdoor			
Mini dome camera3	DS-2CE56A2P(N)-IRM DS-2CE56C2P(N)-IRM DS-2CE56D5T-IRM DS-2CE56COT-IRM DS-2CE56C2T-IRM DS-2CE56D1T-IRM DS-2CS58A2P-IRS DS-2CS58A2P-IR DS-2CS58A2P-S				
		DS-1272ZJ-110-TRS 302700373 Wall mount	DS-1275ZJ 302700378 Vertical pole mount	DS-1276ZJ 302700379 Corner mount	DS-1280ZJ-XS 302700955 Junction box
	DS-2CE56C2P(N)-IR DS-2CE56C2P(N)-IRP DS-2CE56A2P(N)-IR DS-2CE56COT-IR DS-2CE56COT-IRP DS-2CE56C2T-IR DS-2CE56C2T-IRP DS-2CE56D1T-IR	Hik white Aluminum alloy 120×122×169mm 420g	Hik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm Diameter of clamp: Φ67-127mm 1205g Match up with wall mount(DS-1272ZJ-110-TRS)	Hik white Steel 126X105X250mm 2280g Match up with wall mount(DS-1272ZJ-110-TRS)	Hik white Aluminum Alloy Φ100 x 43.2 x 1.25mm 320g

DS-2LE50U11-TRP

Note: the -TR5 means it has adapter plate compared to DS-1272ZJ-110. Special for these mini dome cameras

Mini dome camera 6C		Indoor/Outdoor						
								
		DS-1273ZJ-130-TRL 302700374	DS-1275ZJ 302700378	DS-1276ZJ 302700379	DS-1280ZJ-TR6 302700311	GPT-1 302700536	DS-1280ZJ-M 302700581	DS-1281ZJ-M 302700582
		Wall mount	Vertical pole mount	Corner mount	Junction box	Gang box for junction box (special for US market)	Junction box	Inclined ceiling mount
		Hik white Aluminum alloy 131×183.5×228.5mm 890g	Hik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm Diameter of clamp: Φ67-127mm 1205g Match up with wall mount (DS-1273ZJ-130-TRL)	Hik white Steel 126X105X250mm 2280g Match up with wall mount (DS-1273ZJ-130-TRL)	Hik white Aluminum alloy Φ130 mm 715g	Hik white Steel Φ125×5.5 mm	Hik white Aluminum alloy 157×184.8×53.4mm 621g	Hik white Aluminum alloy 157×167×74.8mm 586g

		Indoor/Outdoor				
Mini dome camera 8	DS-2CC52A2P(N)-IT3					
		DS-1273ZJ-130-TRL 302700374 Wall mount	DS-1275ZJ 302700378 Vertical pole mount	DS-1276ZJ 302700379 Corner mount	DS-1280ZJ-M 302700581 Junction box	DS-1281ZJ-M 302700582 Inclined ceiling mount
		Hik white Aluminum alloy 131×183.5×228.5mm 890g	Hik whiteHik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm Diameter of clamp: Φ67-127mm 1205g Match up with wall mount (DS-1273ZJ-130-TRL)	Hik white Steel 126X105X250mm 2280g Match up with wall mount (DS-1273ZJ-130-TRL)	Hik white Aluminum alloy 157×184.8×53.4mm 621g	Hik white Aluminum alloy 157×165.7×61.8mm 586g
Note: the -TRL means it has adapter plate compared to DS-1273ZJ-130. Special for Mini dome 8						

Mini dome camera 9 	DS-2CE56A2P(N)-IT3 DS-2CE56C2P(N)-IT3 DS-2CE56D5T-IT1/IT3 DS-2CE56C2T-IT1/IT3 DS-2CE56C5T-IT1/IT3	Indoor/Outdoor						
								
		DS-1272ZJ-110	DS-1275ZJ	DS-1276ZJ	DS-1258ZJ	DS-1280ZJ-S	DS-1281ZJ-S	DS-1271ZJ-110
		302700315	302700378	302700379	302700250	302700579	302700580	302700313
		Wall mount	Vertical pole mount	Corner mount	Wall mount	Junction box	Inclined ceiling mount	Pendant mount
Hik white Aluminum alloy 120×122×169mm 420g		Hik whiteHik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm Diameter of clamp: Φ67-127mm 1205g Match up with wall mount(DS-1272ZJ-110)	Hik white Steel 126X105X250mm 2280g Match up with wall mount (DS-1272ZJ-110)	Hik white ABS plastic 120×111×161.5mm 200g Suitable for indoor	Hik white Aluminum alloy 137×53.4×164.8mm 527g	Hik white Aluminum alloy 137×56.5×147mm 472g	Hik white Aluminum alloy Φ150×260mm 1900g	

		Indoor/Outdoor				
Mini dome camera 10	DS-2CE56D5T-VFI73 DS-2CE56C5T-VFI73					
		DS-1273ZJ-130-TRL 302700374	DS-1275ZJ 302700378	DS-1276ZJ 302700379	DS-1280ZJ-M 302700581	DS-1281ZJ-M 302700582
		Wall mount	Vertical pole mount	Corner mount	Junction box	Inclined ceiling mount



Hik white
Aluminum alloy
131×183.5×228.5mm
890g

Hik white
Steel(mounting board) &
Stainless Steel(clamp)
127×46×250mm
Diameter of clamp: Φ67-127mm
1205g
Match up with wall mount(DS-
1273ZJ-130-TRL)

Hik white
Steel
126X105X250mm
2280g
Match up with wall
mount(DS-1273ZJ-130-
TRL)

Hik white
Aluminum alloy
157×184.8×53.4mm
621g

Hik white
Aluminum alloy
157×165.7×61.8mm
586g

		Indoor				
Mini dome camera 11 	DS-2CE582P-IRP					
		DS-1272ZJ-110-TRS 302700315 Wall mount	DS-1275ZJ 302700378 Vertical pole mount	DS-1276ZJ 302700379 Corner mount	DS-1280ZJ-S 302700579 Junction box	DS-1281ZJ-S 302700580 Inclined ceiling mount
		Hik white Aluminum alloy 120×122×169mm 420g	Hik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm 1205g Diameter of clamp: Φ67-127mm Match up with wall mount (DS-1272ZJ-110-TRS)	Hik white Steel 126X105X250mm 2280g Match up with wall mount (DS-1272ZJ-110-TRS)	Hik white Aluminum alloy 137×53.4×164.8mm 527g	Hik white Aluminum alloy 137×56.5×147mm 472g

		Indoor/Outdoor				
Mini dome camera 12 	DS-2CE56D1T-VFIR3 DS-2CE56G2T-VFIR3 DS-2CE56D1T-IR3Z DS-2CE56D1T-IR3Z					
		DS-1273ZJ-130-TRL 302700374 Wall mount	DS-1275ZJ 302700378 Vertical pole mount	DS-1276ZJ 302700379 Corner mount	DS-1280ZJ-M 302700581 Junction box	DS-1281ZJ-M 302700582 Inclined ceiling mount
		Hik white Aluminum alloy 131×183.5×228.5mm 890g	Hik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm 1205g Diameter of clamp: Φ67-127mm Match up with wall mount (DS-1273ZJ-130-TRL)	Hik white Steel 126X105X250mm 2280g Match up with wall mount (DS-1273ZJ-130-TRL)	Hik white Aluminum alloy 157×184.8×53.4mm 621g	Hik white Aluminum alloy 157×165.7×61.8mm 586g

		Indoor/Outdoor				
Mini dome camera 13 	DS-2CE56C0T-IT1/IT3 DS-2CE56D1T-IT1/IT3					
		DS-1272ZJ-110 302700315 Wall mount	DS-1275ZJ 302700378 Vertical pole mount	DS-1276ZJ 302700379 Corner mount	DS-1280ZJ-S 302700579 Junction box	DS-1281ZJ-S 302700580 Inclined ceiling mount
		Hik white Aluminum alloy 120×122×169mm 420g	Hik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm 1205g Diameter of clamp: Φ67-127mm Match up with wall mount (DS-1272ZJ-110)	Hik white Steel 126X105X250mm 2280g Match up with wall mount (DS-1272ZJ-110)	Hik white Aluminum alloy 137×53.4×164.8mm 527g	Hik white Aluminum alloy 137×56.5×147mm 472g